

ABE

Smart Video Doorphone


Guangdong ABE France Germany Technology Co., Ltd



ABE Company Profile

GUANGDONG ABE FRANCE GERMANY TECHNOLOGY CO., LTD HAS BEEN FOCUSING ON DESIGNING AND PRODUCING VIDEO DOORPHONE PRODUCTS AND ACCESS CONTROL PRODUCTS IN SECURITY INDUSTRY FOR MANY YEARS

OUR MAIN PRODUCTS INCLUDE ANALOG AND DIGITAL VILLA VISUAL DOOR SYSTEM, MULTI-BEDROOM AUDIO AND VIDEO DOOR SYSTEM INTELLIGENT HOME AUTOMATION SYSTEM, ACCESS CONTROL SYSTEM



Video Intercom System



Video Intercom apartment



AHD villa Tuya 4-wirevideo door phone

Feature & Functions



Visual intercom



Tuya Smart APP



ID swipe



Support TF card 128G



Movement detection




Photos & videos

Indoor unit

- FHD 7 inch IPS Touch monitor
- Resolution: 1024*600
- Support “Tuya Smart” App remote control talking/unlock/ recording/ take pictures
- Support leave a message,Motion Detection
- Support 64G TF card for video memory
- Language setting: Chinese, English, Russian
- 3 mode settings: at home/leaving home /mute mode
- Ringtones:10
- Adapter output voltage current: DC15V 1.2A
also can choose POE power supply
- Size: 195*132*15mm

Outdoor unit

- Function: Support remote control of calls/unlocking/recording/taking photos/leaving messages/mobile detection using the tuya app
- Visual intercom, monitoring, indoor unlocking, no disturbance mode, ringtone selection, color, brightness, contrast, and volume adjustment
- 7 inch IPS touch screen display
- Resolution: 1024 * 600
- Material: ABS+high hardness glass surface plate
- Ringtones: 10 songs
- Language: Chinese, English, Russian, French, German, Portuguese, Spanish
- Power specifications: AC100-240V 50Hz 60Hz DC15V 1.2A (optional for American, European, British, and Australian standards)
- Power: 0.2W in standby mode, 30W in working mode
- Operation mode: Touch screen display screen
- Usage distance: 150 meters
- Using wire: RVV4
- Working temperature: -20-+60 °C
- Product size: 237 * 117 * 30mm
- Maximum combination: 2 outdoor units+2 analog cameras+6 indoor units
- Installation method: fixed with hanging boards



AHD villa Tuya 4-wirevideo door phone

Feature & Functions



Visual intercom



Tuya Smart APP



ID swipe



Support TF card 128G



Movement detection




Photos & videos

Outdoor unit

- Function: Support remote control of calls/unlocking/recording/taking photos/leaving messages/mobile detection using the tuya app
- Visual intercom, monitoring, indoor unlocking, no disturbance mode, ringtone selection, color, brightness, contrast, and volume adjustment
- 7 inch IPS touch screen display
- Resolution: 1024 * 600
- Material: ABS+high hardness glass surface plate
- Ringtones: 10 songs
- Language: Chinese, English, Russian, French, German, Portuguese, Spanish
- Power specifications: AC100-240V 50Hz 60Hz DC15V 1.2A (optional for American, European, British, and Australian standards)
- Power: 0.2W in standby mode, 30W in working mode
- Operation mode: Touch screen display screen
- Usage distance: 150 meters
- Using wire: RVV4
- Working temperature: -20-+60 °C
- Product size: 220 * 124 * 16mm
- Maximum combination: 2 outdoor units+2 analog cameras+6 indoor units
- Installation method: fixed with hanging boards
- Color options: Silver/Gold

Indoor unit

- FHD 7 inch IPS Touch monitor
- Resolution: 1024*600
- Support “Tuya Smart” App remote control talking/unlock/ recording/ take pictures
- Support leave a message,Motion Detection
- Support 64G TF card for video memory
- Language setting: Chinese, English, Russian
- 3 mode settings: at home/leaving home /mute mode
- Ringtones:10
- Adapter output voltage current: DC15V 1.2A
also can choose POE power supply
- Size: 195*132*15mm



AHD villa Tuya 4-wirevideo door phone

Feature & Functions



Visual intercom



Tuya Smart APP



ID swipe



Support TF card 128G



Movement detection




Photos & videos

Indoor unit

- FHD 7 inch IPS Touch monitor
- Resolution: 1024*600
- Support “Tuya Smart” App remote control talking/unlock/ recording/ take pictures
- Support leave a message,Motion Detection
- Support 64G TF card for video memory
- Language setting: Chinese, English, Russian
- 3 mode settings: at home/leaving home /mute mode
- Ringtones:10
- Adapter output voltage current: DC15V 1.2A
also can choose POE power supply
- Size: 195*132*15mm

Outdoor unit

- Function: Support remote control of calls/unlocking/recording/taking photos/leaving messages/mobile detection using the tuya app
- Visual intercom, monitoring, indoor unlocking, no disturbance mode, ringtone selection, color, brightness, contrast, and volume adjustment
- 7 inch IPS touch screen display
- Resolution: 1024 * 600
- Material: ABS+high hardness glass surface plate
- Ringtones: 10 songs
- Language: Chinese, English, Russian, French, German, Portuguese, Spanish
- Power specifications: AC100-240V 50Hz 60Hz DC15V 1.2A (optional for American, European, British, and Australian standards)
- Power: 0.2W in standby mode, 30W in working mode
- Operation mode: Touch screen display screen
- Usage distance: 150 meters
- Using wire: RVV4
- Working temperature: -20-+60 °C
- Product size: 220 * 124 * 16mm
- Maximum combination: 2 outdoor units+2 analog cameras+6 indoor units
- Installation method: fixed with hanging boards
- Color options: Silver/Gold/Black



AHD villa Tuya 4-wirevideo door phone

Feature & Functions



Visual intercom



Tuya Smart APP



ID swipe



Support TF card 128G



Movement detection




Photos & videos

Indoor unit

- FHD 7 inch IPS Touch monitor
- Resolution: 1024*600
- Support “Tuya Smart” App remote control talking/unlock/recording/ take pictures
- Support leave a message,Motion Detection
- Support 64G TF card for video memory
- Language setting: Chinese, English, Russian
- 3 mode settings: at home/leaving home /mute mode
- Ringtones:10
- Adapter output voltage current: DC15V 1.2A
also can choose POE power supply
- Size: 195*132*15mm

Outdoor unit

- Function: Support remote control of calls/unlocking/recording/taking photos/leaving messages/mobile detection using the tuya app
 - Visual intercom, monitoring, indoor unlocking, no disturbance mode, ringtone selection, color, brightness, contrast, and volume adjustment
 - 7 inch IPS touch screen display
- Resolution: 1024 * 600
- Material: ABS+high hardness glass surface plate
 - Ringtones: 10 songs
 - Language: Chinese, English, Russian, French, German, Portuguese, Spanish
 - Power specifications: AC100-240V 50Hz 60Hz DC15V 1.2A (optional for American, European, British, and Australian standards)
 - Power: 0.2W in standby mode, 30W in working mode
 - Operation mode: Touch screen display screen
 - Usage distance: 150 meters
 - Using wire: RVV4
 - Working temperature: -20-+60 °C
 - Product size: 237 * 117 * 30mm
 - Maximum combination: 2 outdoor units+2 analog cameras+6 indoor units
 - Installation method: fixed with hanging boards



Video Intercom apartment



AHD villa Tuya 4-wirevideo door phone

Feature & Functions



Visual intercom



Tuya Smart APP



ID swipe



Support TF card 128G



Movement detection




Photos & videos

Outdoor unit

- Function: Support remote control of calls/unlocking/recording/taking photos/leaving messages/mobile detection using the tuyu app
- Visual intercom, monitoring, indoor unlocking, no disturbance mode, ringtone selection, color, brightness, contrast, and volume adjustment
- 7 inch IPS touch screen display
- Resolution: 1024 * 600
- Material: ABS+high hardness glass surface plate
- Ringtones: 10 songs
- Language: Chinese, English, Russian, French, German, Portuguese, Spanish
- Power specifications: AC100-240V 50Hz 60Hz DC15V 1.2A (optional for American, European, British, and Australian standards)
- Power: 0.2W in standby mode, 30W in working mode
- Operation mode: Touch screen display screen
- Usage distance: 150 meters
- Using wire: RVV4
- Working temperature: -20-+60 °C
- Product size: 237 * 117 * 30mm
- Maximum combination: 2 outdoor units+2 analog cameras+6 indoor units
- Installation method: fixed with hanging boards

Indoor unit

- FHD 7 inch IPS Touch monitor
- Resolution: 1024*600
- Support “Tuya Smart” App remote control talking/unlock/ recording/ take pictures
- Support leave a message,Motion Detection
- Support 64G TF card for video memory
- Language setting: Chinese, English, Russian
- 3 mode settings: at home/leaving home /mute mode
- Ringtones:10
- Adapter output voltage current: DC15V 1.2A
also can choose POE power supply
- Size: 195*132*15mm



AHD villa Tuya 4-wirevideo door phone

Feature & Functions



Visual intercom



Tuya Smart APP



ID swipe



Support TF card 128G



Movement detection




Photos & videos

Indoor unit

- FHD 7 inch IPS Touch monitor
- Resolution: 1024*600
- Support “Tuya Smart” App remote control talking/unlock/ recording/ take pictures
- Support leave a message,Motion Detection
- Support 64G TF card for video memory
- Language setting: Chinese, English, Russian
- 3 mode settings: at home/leaving home /mute mode
- Ringtones:10
- Adapter output voltage current: DC15V 1.2A
also can choose POE power supply
- Size: 195*132*15mm

Outdoor unit

- Function: Support remote control of calls/unlocking/recording/taking photos/leaving messages/mobile detection using the tuyu app
- Visual intercom, monitoring, indoor unlocking, no disturbance mode, ringtone selection, color, brightness, contrast, and volume adjustment
- 7 inch IPS touch screen display
- Resolution: 1024 * 600
- Material: ABS+high hardness glass surface plate
- Ringtones: 10 songs
- Language: Chinese, English, Russian, French, German, Portuguese, Spanish
- Power specifications: AC100-240V 50Hz 60Hz DC15V 1.2A (optional for American, European, British, and Australian standards)
- Power: 0.2W in standby mode, 30W in working mode
- Operation mode: Touch screen display screen
- Usage distance: 150 meters
- Using wire: RVV4
- Working temperature: -20-+60 °C
- Product size: 237 * 117 * 30mm
- Maximum combination: 2 outdoor units+2 analog cameras+6 indoor units
- Installation method: fixed with hanging boards



AHD villa Tuya 4-wirevideo door phone

Feature & Functions



Visual intercom



Tuya Smart APP



ID swipe



Support TF card 128G



Movement detection




Photos & videos

Indoor unit

- FHD 7 inch IPS Touch monitor
- Resolution: 1024*600
- Support “Tuya Smart” App remote control talking/unlock/recording/ take pictures
- Support leave a message,Motion Detection
- Support 64G TF card for video memory
- Language setting: Chinese, English, Russian
- 3 mode settings: at home/leaving home /mute mode
- Ringtones:10
- Adapter output voltage current: DC15V 1.2A
also can choose POE power supply
- Size: 195*132*15mm

Outdoor unit

- Function: Support remote control of calls/unlocking/recording/taking photos/leaving messages/mobile detection using the tuyu app
 - Visual intercom, monitoring, indoor unlocking, no disturbance mode, ringtone selection, color, brightness, contrast, and volume adjustment
 - 7 inch IPS touch screen display
- Resolution: 1024 * 600
- Material: ABS+high hardness glass surface plate
 - Ringtones: 10 songs
 - Language: Chinese, English, Russian, French, German, Portuguese, Spanish
 - Power specifications: AC100-240V 50Hz 60Hz DC15V 1.2A (optional for American, European, British, and Australian standards)
 - Power: 0.2W in standby mode, 30W in working mode
 - Operation mode: Touch screen display screen
 - Usage distance: 150 meters
 - Using wire: RVV4
 - Working temperature: -20-+60 ℃
 - Product size: 220 * 124 * 16mm
 - Maximum combination: 2 outdoor units+2 analog cameras+6 indoor units
 - Installation method: fixed with hanging boards
 - Color options: Silver/Gold/Black



AHD villa Tuya 4-wirevideo door phone

Feature & Functions



Visual intercom



Tuya Smart APP



ID swipe



Support TF card 128G



Movement detection




Photos & videos

Indoor unit

- FHD 7 inch IPS Touch monitor
- Resolution: 1024*600
- Support “Tuya Smart” App remote control talking/unlock/recording/ take pictures
- Support leave a message,Motion Detection
- Support 64G TF card for video memory
- Language setting: Chinese, English, Russian
- 3 mode settings: at home/leaving home /mute mode
- Ringtones:10
- Adapter output voltage current: DC15V 1.2A
also can choose POE power supply
- Size: 195*132*15mm

Outdoor unit

- Function: Support remote control of calls/unlocking/recording/taking photos/leaving messages/mobile detection using the tuyu app
- Visual intercom, monitoring, indoor unlocking, no disturbance mode, ringtone selection, color, brightness, contrast, and volume adjustment
- 7 inch IPS touch screen display
- Resolution: 1024 * 600
- Material: ABS+high hardness glass surface plate
- Ringtones: 10 songs
- Language: Chinese, English, Russian, French, German, Portuguese, Spanish
- Power specifications: AC100-240V 50Hz 60Hz DC15V 1.2A (optional for American, European, British, and Australian standards)
- Power: 0.2W in standby mode, 30W in working mode
- Operation mode: Touch screen display screen
- Usage distance: 150 meters
- Using wire: RVV4
- Working temperature: -20-+60 °C
- Product size: 237 * 117 * 30mm
- Maximum combination: 2 outdoor units+2 analog cameras+6 indoor units
- Installation method: fixed with hanging boards



Video Intercom apartment



AHD villa Tuya 4-wirevideo door phone

Feature & Functions



Visual intercom



Tuya Smart APP



Unlock



Support TF card 128G



Movement detection




Photos & videos

Outdoor unit

- Function: Support remote control of calls/unlocking/recording/taking photos/leaving messages/mobile detection using the tuyu app
- Visual intercom, monitoring, indoor unlocking, no disturbance mode, ringtone selection, color, brightness, contrast, and volume adjustment
- 7 inch IPS touch screen display
- Resolution: 1024 * 600
- Material: ABS+high hardness glass surface plate
- Ringtones: 10 songs
- Language: Chinese, English, Russian, French, German, Portuguese, Spanish
- Power specifications: AC100-240V 50Hz 60Hz DC15V 1.2A (optional for American, European, British, and Australian standards)
- Power: 0.2W in standby mode, 30W in working mode
- Operation mode: Touch screen display screen
- Usage distance: 150 meters
- Using wire: RVV4
- Working temperature: -20-+60 °C
- Product size: 220 * 124 * 16mm
- Maximum combination: 2 outdoor units+2 analog cameras+6 indoor units
- Installation method: fixed with hanging boards
- Color options: Silver/Gold/Black

Indoor unit

- Camera: AHD high-definition 2.0MP, 1/3 "CMOS, 3.0 MM
- Photosensitivity: 0.001 lux
- Night vision: LED * 6
- Night vision distance: 3 meters
- Camera angle: 120 °
- Operating temperature: -40--+60 °C
- Material: Aluminum alloy die cast/ABS
- Rainproof: Rainproof cover
- Product size: 130 * 50 * 45mm
- Using wire: RVV4
- Installation method: Flat installation
- Power supply method: indoor unit power supply
- Unlocking method: indoor unit unlocking
- Unlock signal: voltage signal (L+L -) output



AHD villa Tuya 4-wirevideo door phone

Feature & Functions



Visual intercom



Tuya Smart APP



Unlock



Support TF card 128G



Movement detection




Photos & videos

Outdoor unit

- Function: Support remote control of calls/unlocking/recording/taking photos/leaving messages/mobile detection using the tuya app
- Visual intercom, monitoring, indoor unlocking, no disturbance mode, ringtone selection, color, brightness, contrast, and volume adjustment
- 7 inch IPS touch screen display
- Resolution: 1024 * 600
- Material: ABS+high hardness glass surface plate
- Ringtones: 10 songs
- Language: Chinese, English, Russian, French, German, Portuguese, Spanish
- Power specifications: AC100-240V 50Hz 60Hz DC15V 1.2A (optional for American, European, British, and Australian standards)
- Power: 0.2W in standby mode, 30W in working mode
- Operation mode: Touch screen display screen
- Usage distance: 150 meters
- Using wire: RVV4
- Working temperature: -20-+60 °C
- Product size: 220 * 124 * 16mm
- Maximum combination: 2 outdoor units+2 analog cameras+6 indoor units
- Installation method: fixed with hanging boards
- Color options: Silver/Gold/Black

Indoor unit

- Camera: AHD high-definition 2.0MP, 1/3 "CMOS, 3.0 MM
- Photosensitivity: 0.001 lux
- Night vision: LED * 6
- Night vision distance: 3 meters
- Camera angle: 120 °
- Operating temperature: -40--+60 °C
- Material: Aluminum alloy die cast/ABS
- Rainproof: Rainproof cover
- Product size: 130 * 50 * 45mm
- Using wire: RVV4
- Installation method: Flat installation
- Power supply method: indoor unit power supply
- Unlocking method: indoor unit unlocking
- Unlock signal: voltage signal (L+L -) output



AHD villa Tuya 4-wirevideo door phone

Feature & Functions



Visual intercom



Tuya Smart APP



Unlock



Support TF card 128G



Movement detection




Photos & videos

Outdoor unit

- Function: Support remote control of calls/unlocking/recording/taking photos/leaving messages/mobile detection using the tuya app
- Visual intercom, monitoring, indoor unlocking, no disturbance mode, ringtone selection, color, brightness, contrast, and volume adjustment
- 7 inch IPS touch screen display
- Resolution: 1024 * 600
- Material: ABS+high hardness glass surface plate
- Ringtones: 10 songs
- Language: Chinese, English, Russian, French, German, Portuguese, Spanish
- Power specifications: AC100-240V 50Hz 60Hz DC15V 1.2A (optional for American, European, British, and Australian standards)
- Power: 0.2W in standby mode, 30W in working mode
- Operation mode: Touch screen display screen
- Usage distance: 150 meters
- Using wire: RVV4
- Working temperature: -20-+60 °C
- Product size: 220 * 124 * 16mm
- Maximum combination: 2 outdoor units+2 analog cameras+6 indoor units
- Installation method: fixed with hanging boards
- Color options: Silver/Gold/Black

Indoor unit

- Camera: AHD high-definition 2.0MP, 1/3 "CMOS, 3.0 MM
- Photosensitivity: 0.001 lux
- Night vision: LED * 6
- Night vision distance: 3 meters
- Camera angle: 120 °
- Operating temperature: -40--+60 °C
- Material: Aluminum alloy die cast/ABS
- Rainproof: Rainproof cover
- Product size: 130 * 50 * 45mm
- Using wire: RVV4
- Installation method: Flat installation
- Power supply method: indoor unit power supply
- Unlocking method: indoor unit unlocking
- Unlock signal: voltage signal (L+L -) output



AHD villa Tuya 4-wirevideo door phone

Feature & Functions



Visual intercom



Tuya Smart APP



Unlock



Support TF card 128G



Movement detection




Photos & videos

Outdoor unit

- Function: Support remote control of calls/unlocking/recording/taking photos/leaving messages/mobile detection using the tuya app
- Visual intercom, monitoring, indoor unlocking, no disturbance mode, ringtone selection, color, brightness, contrast, and volume adjustment
- 7 inch IPS touch screen display
- Resolution: 1024 * 600
- Material: ABS+high hardness glass surface plate
- Ringtones: 10 songs
- Language: Chinese, English, Russian, French, German, Portuguese, Spanish
- Power specifications: AC100-240V 50Hz 60Hz DC15V 1.2A (optional for American, European, British, and Australian standards)
- Power: 0.2W in standby mode, 30W in working mode
- Operation mode: Touch screen display screen
- Usage distance: 150 meters
- Using wire: RVV4
- Working temperature: -20-+60 °C
- Product size: 220 * 124 * 16mm
- Maximum combination: 2 outdoor units+2 analog cameras+6 indoor units
- Installation method: fixed with hanging boards
- Color options: Silver/Gold/Black

Indoor unit

- Camera: AHD high-definition 2.0MP, 1/3 "CMOS, 3.0 MM
- Photosensitivity: 0.001 lux
- Night vision: LED * 6
- Night vision distance: 3 meters
- Camera angle: 120 °
- Operating temperature: -40--+60 °C
- Material: Aluminum alloy die cast/ABS
- Rainproof: Rainproof cover
- Product size: 130 * 50 * 45mm
- Using wire: RVV4
- Installation method: Flat installation
- Power supply method: indoor unit power supply
- Unlocking method: indoor unit unlocking
- Unlock signal: voltage signal (L+L -) output



Video Intercom apartment



AHD villa Tuya 4-wirevideo door phone

Feature & Functions



Visual intercom



Tuya Smart APP



Unlock



Support TF card 128G



Movement detection




Photos & videos

Outdoor unit

- Function: Support remote control of calls/unlocking/recording/taking photos/leaving messages/mobile detection using the tuya app
- Visual intercom, monitoring, indoor unlocking, no disturbance mode, ringtone selection, color, brightness, contrast, and volume adjustment
- 7 inch IPS touch screen display
- Resolution: 1024 * 600
- Material: ABS+high hardness glass surface plate
- Ringtones: 10 songs
- Language: Chinese, English, Russian, French, German, Portuguese, Spanish
- Power specifications: AC100-240V 50Hz 60Hz DC15V 1.2A (optional for American, European, British, and Australian standards)
- Power: 0.2W in standby mode, 30W in working mode
- Operation mode: Touch screen display screen
- Usage distance: 150 meters
- Using wire: RVV4
- Working temperature: -20-+60 °C
- Product size: 220 * 124 * 16mm
- Maximum combination: 2 outdoor units+2 analog cameras+6 indoor units
- Installation method: fixed with hanging boards
- Color options: Silver/Gold/Black

Indoor unit

- Camera: AHD high-definition 2.0MP, 1/2.9"CMOS, 2.8MM 1080P
- Photosensitivity: 0.001 lux
- Night vision: LED * 6 pieces
- Night vision distance: 3 meters
- Camera angle: 120 °
- Call method: mechanical buttons
- Operating temperature: -40--+60 °C
- Material: Aluminum alloy die cast
- Rainproof: Rainproof cover
- Product size: 125 * 45 * 25mm
- Using wire: RVV4
- Installation method: flat installation/corner installation
- Power supply method: indoor unit power supply
- Unlocking method: indoor unit unlocking
- Unlocking signal: Relay signal (normally open, normally closed) output



AHD villa Tuya 4-wirevideo door phone

Feature & Functions



Visual intercom



Tuya Smart APP



Unlock



Support TF card 128G



Movement detection




Photos & videos

Outdoor unit

- Function: Support remote control of calls/unlocking/recording/taking photos/leaving messages/mobile detection using the tuya app
- Visual intercom, monitoring, indoor unlocking, no disturbance mode, ringtone selection, color, brightness, contrast, and volume adjustment
- 7 inch IPS touch screen display
- Resolution: 1024 * 600
- Material: ABS+high hardness glass surface plate
- Ringtones: 10 songs
- Language: Chinese, English, Russian, French, German, Portuguese, Spanish
- Power specifications: AC100-240V 50Hz 60Hz DC15V 1.2A (optional for American, European, British, and Australian standards)
- Power: 0.2W in standby mode, 30W in working mode
- Operation mode: Touch screen display screen
- Usage distance: 150 meters
- Using wire: RVV4
- Working temperature: -20-+60 °C
- Product size: 220 * 124 * 16mm
- Maximum combination: 2 outdoor units+2 analog cameras+6 indoor units
- Installation method: fixed with hanging boards
- Color options: Silver/Gold/Black

Indoor unit

- Camera: AHD high-definition 2.0MP, 1/2.9"CMOS, 2.8MM 1080P
- Photosensitivity: 0.001 lux
- Night vision: LED * 6 pieces
- Night vision distance: 3 meters
- Camera angle: 120 °
- Call method: mechanical buttons
- Operating temperature: -40--+60 °C
- Material: Aluminum alloy die cast
- Rainproof: Rainproof cover
- Product size: 125 * 45 * 25mm
- Using wire: RVV4
- Installation method: flat installation/corner installation
- Power supply method: indoor unit power supply
- Unlocking method: indoor unit unlocking
- Unlocking signal: Relay signal (normally open, normally closed) output



AHD villa Tuya 4-wirevideo door phone

Feature & Functions



Visual intercom



Tuya Smart APP



Unlock



Support TF card 128G



Movement detection




Photos & videos

Outdoor unit

- Function: Support remote control of calls/unlocking/recording/taking photos/leaving messages/mobile detection using the tuya app
- Visual intercom, monitoring, indoor unlocking, no disturbance mode, ringtone selection, color, brightness, contrast, and volume adjustment
- 7 inch IPS touch screen display
- Resolution: 1024 * 600
- Material: ABS+high hardness glass surface plate
- Ringtones: 10 songs
- Language: Chinese, English, Russian, French, German, Portuguese, Spanish
- Power specifications: AC100-240V 50Hz 60Hz DC15V 1.2A (optional for American, European, British, and Australian standards)
- Power: 0.2W in standby mode, 30W in working mode
- Operation mode: Touch screen display screen
- Usage distance: 150 meters
- Using wire: RVV4
- Working temperature: -20-+60 °C
- Product size: 220 * 124 * 16mm
- Maximum combination: 2 outdoor units+2 analog cameras+6 indoor units
- Installation method: fixed with hanging boards
- Color options: Silver/Gold/Black

Indoor unit

- Camera: AHD high-definition 2.0MP, 1/2.9"CMOS, 2.8MM 1080P
- Photosensitivity: 0.001 lux
- Night vision: LED * 6 pieces
- Night vision distance: 3 meters
- Camera angle: 120 °
- Call method: mechanical buttons
- Operating temperature: -40--+60 °C
- Material: Aluminum alloy die cast
- Rainproof: Rainproof cover
- Product size: 125 * 45 * 25mm
- Using wire: RVV4
- Installation method: flat installation/corner installation
- Power supply method: indoor unit power supply
- Unlocking method: indoor unit unlocking
- Unlocking signal: Relay signal (normally open, normally closed) output



AHD villa Tuya 4-wirevideo door phone

Feature & Functions



Visual intercom



Tuya Smart APP



Unlock



Support TF card 128G



Movement detection




Photos & videos

Outdoor unit

- Function: Support remote control of calls/unlocking/recording/taking photos/leaving messages/mobile detection using the tuyu app
- Visual intercom, monitoring, indoor unlocking, no disturbance mode, ringtone selection, color, brightness, contrast, and volume adjustment
- 7 inch IPS touch screen display
- Resolution: 1024 * 600
- Material: ABS+high hardness glass surface plate
- Ringtones: 10 songs
- Language: Chinese, English, Russian, French, German, Portuguese, Spanish
- Power specifications: AC100-240V 50Hz 60Hz DC15V 1.2A (optional for American, European, British, and Australian standards)
- Power: 0.2W in standby mode, 30W in working mode
- Operation mode: Touch screen display screen
- Usage distance: 150 meters
- Using wire: RVV4
- Working temperature: -20-+60 °C
- Product size: 220 * 124 * 16mm
- Maximum combination: 2 outdoor units+2 analog cameras+6 indoor units
- Installation method: fixed with hanging boards
- Color options: Silver/Gold/Black

Indoor unit

- Camera: AHD high-definition 2.0MP, 1/2.9"CMOS, 2.8MM 1080P
- Photosensitivity: 0.001 lux
- Night vision: LED * 6 pieces
- Night vision distance: 3 meters
- Camera angle: 120 °
- Call method: mechanical buttons
- Operating temperature: -40--+60 °C
- Material: Aluminum alloy die cast
- Rainproof: Rainproof cover
- Product size: 125 * 45 * 25mm
- Using wire: RVV4
- Installation method: flat installation/corner installation
- Power supply method: indoor unit power supply
- Unlocking method: indoor unit unlocking
- Unlocking signal: Relay signal (normally open, normally closed) output



AHD villa 4-wirevideo door phone

Feature & Functions



AHD
2.0MP



Visual intercom



Unlock



Night Vision



7Inch Color Screen




Factory direct sales

Outdoor unit

- High definition 7-inch original display screen
- Visual intercom, monitoring, indoor unlocking, no disturbance mode, ringtone selection, color, brightness, contrast, and volume adjustment
- Resolution: 1024 * 600
- Material: ABS+high hardness acrylic surface plate
- Ringtones: 12 songs
- Power specifications: AC100-240V 50Hz 60Hz DC15V 1.2A (optional for American, European, British, and Australian specifications)
- Power: 0.2W in standby mode, 30W in working mode
- Operation mode: mechanical buttons
- Usage distance: 150 meters
- Using wire: RVV4
- Working temperature: -20-+60 °C
- Product size: 220 * 124 * 16mm
- Maximum combination: 2 outdoor units+2 analog cameras+9 indoor units
- Installation method: fixed with hanging boards
- Available shell colors: gold/white
- Available decorative strip colors: black, white, gray, gold, purple, orange

Indoor unit

- Camera: AHD high-definition 2.0MP, 1/4"CMOS, 3.0 MM
- Photosensitivity: 0.001 lux
- Night vision: LED * 6
- Night vision distance: 3 meters
- Camera angle: 120 °
- Operating temperature: -40--+60 °C
- Material: Aluminum alloy die cast/ABS
- Rainproof: Rainproof cover
- Product size: 130 * 50 * 45mm
- Using wire: RVV4
- Installation method: Flat installation
- Power supply method: indoor unit power supply
- Unlocking method: indoor unit unlocking
- Unlock signal: voltage signal (L+L -) output



AHD villa 4-wirevideo door phone

Feature & Functions



AHD
2.0MP



Visual
intercom



Unlock



Night Vision



7Inch
Color Screen




Factory
direct sales

Outdoor unit

- Camera: AHD high-definition 2.0MP, 1/2.9"CMOS, 2.8MM 1080P
- Photosensitivity: 0.001 lux
- Night vision: LED * 6 pieces
- Night vision distance: 3 meters
- Camera angle: 120 °
- Call method: mechanical buttons
- Operating temperature: -40--+60 °C
- Material: Aluminum alloy die cast
- Rainproof: Rainproof cover
- Product size: 125 * 45 * 25mm
- Using wire: RVV4
- Installation method: flat installation/corner installation
- Power supply method: indoor unit power supply
- Unlocking method: indoor unit unlocking
- Unlocking signal: Relay signal (normally open, normally closed) output

Indoor unit

- Camera: AHD high-definition 2.0MP, 1/4"CMOS, 3.0 MM
- Photosensitivity: 0.001 lux
- Night vision: LED * 6
- Night vision distance: 3 meters
- Camera angle: 120 °
- Operating temperature: -40--+60 °C
- Material: Aluminum alloy die cast/ABS
- Rainproof: Rainproof cover
- Product size: 130 * 50 * 45mm
- Using wire: RVV4
- Installation method: Flat installation
- Power supply method: indoor unit power supply
- Unlocking method: indoor unit unlocking
- Unlock signal: voltage signal (L+L -) output



AHD villa 4-wirevideo door phone

Feature & Functions



AHD
2.0MP



Visual intercom



Unlock



Night Vision



7Inch Color Screen




Factory direct sales

Indoor unit

- Camera: AHD high-definition 2.0MP, 1/4"CMOS, 3.0 MM
- Photosensitivity: 0.001 lux
- Night vision: LED * 6
- Night vision distance: 3 meters
- Camera angle: 120 °
- Operating temperature: -40--+60 °C
- Material: Aluminum alloy die cast/ABS
- Rainproof: Rainproof cover
- Product size: 130 * 50 * 45mm
- Using wire: RVV4
- Installation method: Flat installation
- Power supply method: indoor unit power supply
- Unlocking method: indoor unit unlocking
- Unlock signal: voltage signal (L+L -) output

Outdoor unit

- High definition 7-inch original display screen
 - Visual intercom, monitoring, indoor unlocking, no disturbance mode, ringtone selection, color, brightness, contrast, and volume adjustment
 - Resolution: 1024 * 600
 - Material: ABS+high hardness acrylic surface plate
 - Ringtones: 12 songs
 - Power specifications: AC100-240V 50Hz 60Hz DC15V 1.2A (optional for American, European, British, and Australian standards)
 - Power: 0.2W in standby mode, 30W in working mode
 - Operation mode: Touch buttons
 - Usage distance: 150 meters
 - Using wire: RVV4
 - Working temperature: -20--+60 °C
 - Product size: 220 * 124 * 16mm
 - Maximum combination: 2 outdoor units+2 analog cameras+8 indoor units
- Installation method: fixed with hanging boards
- Available shell colors: gold/silver



AHD villa 4-wirevideo door phone

Feature & Functions



2.0MP



Visual intercom



Unlock



Night Vision



7Inch Color Screen




Factory direct sales

Outdoor unit

- High definition 7-inch original display screen
 - Visual intercom, monitoring, indoor unlocking, no disturbance mode, ringtone selection, color, brightness, contrast, and volume adjustment
 - Resolution: 1024 * 600
 - Material: ABS+high hardness acrylic surface plate
 - Ringtones: 12 songs
 - Power specifications: AC100-240V 50Hz 60Hz DC15V 1.2A (optional for American, European, British, and Australian standards)
 - Power: 0.2W in standby mode, 30W in working mode
 - Operation mode: Touch buttons
 - Usage distance: 150 meters
 - Using wire: RVV4
 - Working temperature: -20-+60 °C
 - Product size: 220 * 124 * 16mm
 - Maximum combination: 2 outdoor units+2 analog cameras+8 indoor units
- Installation method: fixed with hanging boards
- Available shell colors: gold/silver

Indoor unit

- Camera: AHD high-definition 2.0MP, 1/4"CMOS, 3.0 MM
- Photosensitivity: 0.001 lux
- Night vision: LED * 6
- Night vision distance: 3 meters
- Camera angle: 120 °
- Operating temperature: -40--+60 °C
- Material: Aluminum alloy die cast/ABS
- Rainproof: Rainproof cover
- Product size: 130 * 50 * 45mm
- Using wire: RVV4
- Installation method: Flat installation
- Power supply method: indoor unit power supply
- Unlocking method: indoor unit unlocking
- Unlock signal: voltage signal (L+L -) output



Four-line villa video intercom system

Feature & Functions



Interiors Intercom



SNAP/REC



Ringtones

EN/CN

Multi-Language



Multi Point Monitoring




Night Vision


Place of Origin:Guangdong, China
Brand Name:ABE/OEM/ODM
Model Number:ABE-BS-02, White/black Villa
Indoor monitor:Monitoring/Unlock/Talk/Picture
Special Features:Built-in Camera, Waterproof / Weatherproof
Certificate:CE FCC ROHS
Type:interphone video
Resolution:800*680
Color:White/black
Waterproof:IP65
working temperature:-20 - + 60 ° C
Warranty:12 Months

Technical Specifications

Selling Units:Single item
Single package size: 30X20X15 cm
Single gross weight:1.000 kg
Lead time:Quantity(sets) 1 - 10 11 - 100 101 - 500 >500
Lead time (days) 3 7 15 To be negotiated
ABE 1 v 1 service / technical engineering connection
Product Name
Villa visual 1v1 intercom system
Material
Acrylic
Scenes
Families / Floors / Villas / Apartment
Features
intercom unlock, voice intercom, video surveillance



Multi-Application




Four-line villa video intercom system

Feature & Functions



Interiors Intercom



SNAP/REC



Ringtones

EN/CN

Multi-Language



Multi Point Monitoring




Night Vision

Place of Origin:Guangdong, China
Brand Name:ABE/OEM/ODM
Model Number:ABE-BS-01, Golden Villa
Resolution:5MP, 8MP, 800*680
Network:wifi
Type:Video Door phone, interphone video
Indoor monitor:Monitoring/Unlock/Talk/Picture
Special Features:Built-in Camera Waterproof
Certificate:CE FCC ROHS
Color:Golden
Waterproof:IP65
working temperature:-20 - + 60 ° C
Warranty:12 Months Warranty

Outdoor stationBH-01

Function Description visual, intercom, unlock, infrared night vision, rainproof
Camera 700 line CMOS color digital HD camera with super backlight
compensation power consumption standby 0W, working ≤ 2W
Power supply mode indoor extension power supply
Night vision 4 LED infrared night fill lights
Best night vision distance0.2-1.0m
Camera angle 120 degrees
Operating temperature range - 20 - + 60 °C
material zinc alloy shell + acrylic panel
Installation method surface mounted
Overall dimension length 130 * width 61 * thickness 38mm (upper part of rain cover 45mm)weight 0.35kg



Multi-Application




Four-line villa video intercom system

Feature & Functions



Interiors Intercom



SNAP/REC



Ringtones



EN/CN



Multi Point Monitoring



Face recognition



Place of Origin:Guangdong, China
Brand Name:ABE/OME/ODM
Model Number:ABE-BS-03, Gold/black/white Villa
Indoor monitor:Monitoring/Unlock/Talk/Picture
Special Features:Built-in Camera, Waterproof / Weatherproof
Certificate:CE FCC ROHS
Type:interphone video
Resolution:800*680
Waterproof:IP65
Color:Gold/black/white
working temperature:-20 - + 60 ° C
Warranty:12 Months

product size Outdoor unit

physical dimension :140*100*50mm
Installation size :130*90*35mm
WORKING VOLTAGE DC18V±10% INSTALLATION MODE EMBEDDED INSTALLATION
SIZE SPECIFICATION 140*100*50mm BATTERY No battery required
CAMERA 700 line HD camera POWER WASTE Standby 1W, unlock 10W


7-INCH INDOOR UNIT

WORKING VOLTAGE DC 18V±10% INSTALLATION MODE WALL MOUNTED
SIZE SPECIFICATION 226*135*20mm AUDIOSIGNAL-TO-ANOISE RATIO =>48dB
DISPLAY 7-inch color LCD AUDIO DISTORTION =<2%





Multi-apartment video intercom





7-inch multi-apartment video intercom system


Feature & Functions


WIFI Connection


9600 lithium battery


IP65


Motion Detection


1080P


Face recognition

Place of Origin:Guangdong, China
Brand Name:ABE/OEM/ODM
Model Number:ABE-APP-V70-N, Black
Resolution:1080P, 800*480
Network:TCP
Type:Video Door phone, interphone video
Indoor monitor:Monitoring/Unlock/Talk/Picture
Special Features:Built-in Camera, Waterproof / Weatherproof
Certificate:CE FCC ROHS
Waterproof:IP65
working temperature:-20 - + 60 ° C
Color:silver
Warranty:12 Months



Outdoor station	Function Description	visual, intercom, unlock, rainproof , night vision
	Camera	700 line CMOS color digital HD camera with super backlight
	compensation power consumption	standby 0W, working ≤ 2W
	Power supply mode	indoor extension power supply
	Night vision	6 LED white fill lamps
	Best night vision distance	WLED 3m
	Camera angle	85-92 degrees
	Operating temperature range	- 20 - + 60 °C
	material	zinc alloy shell
	Installation method	surface mounted
	Overall dimension	length 380 * width 150 * thickness60mm
	weight	2kg



4.3-inch multi-apartment video intercom system

WIFI Connection

Face recognition

720P

Motion Detection


166° Wide Angle Lens

18650 lithium battery

Place of Origin:Guangdong, China
Brand Name:ABE/OEM/ODM
Model Number:ABE-APP-V70-N, Black
Resolution:1080P, 800*480
Network:TCP
Type:Video Door phone, interphone video
Indoor monitor:Monitoring/Unlock/Talk/Picture
Special Features:Built-in Camera, Waterproof / Weatherproof
Certificate:CE FCC ROHS
Waterproof:IP65
working temperature:-20 - + 60 ° C
Color:silver
Warranty:12 Months

Outdoor station

Function Description visual, intercom, unlock, rainproof , night vision
Camera 700 line CMOS color digital HD camera with super backlight compensation power consumption standby 0W, working ≤ 2W
Power supply mode indoor extension power supply
Night vision
6 LED white fill lamps
Best night vision distanceWLED 3m
Camera angle 85-92 degrees
Operating temperature range - 20 - + 60 °C
material zinc alloy shell
Installation method surface mounted
Overall dimension length 265 * width 127 * thickness42mm
weight 0.85kg






Press only the video intercom system (8 buttons)

Feature & Functions



Infrared Night Vision



Motion Detection



Tuya APP



5000mAh lithium battery



Two-Way Intercom




1080P

Place of Origin:Guangdong, China
Brand Name:ABE/OEM/ODM
Model Number:ABE-V7, silver
Network:4-wire+wifi
Type:Video Door phone, interphone video
Indoor monitor:Monitoring/Unlock/Talk/Picture
Special Features:Built-in Camera, Waterproof / Weatherproof
Certificate:CE FCC ROHS
Resolution:800*480
Waterproof:IP65
working temperature:-20 - + 60 ° C
Color:silver
Warranty:12 Months


Outdoor stationBH-01

Function Description visual, intercom, unlock, rainproof , Infrared night vision
Camera 700 line CMOS color digital HD camera with super backlight
compensation power consumption standby 0W, working ≤ 2W
Power supply mode indoor extension power supply
Night vision 4 LED infrared night fill lights
Best night vision distanceWLED 3m
Camera angle 85-92 degrees
Operating temperature range - 20 - + 60 °C
material zinc alloy shell
Installation method surface mounted
Overall dimension length 250 * width 130 * thickness55mm
weight 0.85kg



Press only the video intercom system

Feature & Functions



Place of Origin:Guangdong, China

Brand Name:ABE/OEM/ODM

Model Number:ABE-V7, silver

Network:4-wire+wifi

Type:Video Door phone, interphone video

Indoor monitor:Monitoring/Unlock/Talk/Picture

Special Features:Built-in Camera, Waterproof / Weatherproof

Certificate:CE FCC ROHS

Resolution:800*480

Waterproof:IP65

working temperature:-20 - + 60 ° C

Color:silver

Warranty:12 Months

Outdoor stationBH-01

Function Description visual, intercom, unlock, rainproof , Infrared night vision

Camera 700 line CMOS color digital HD camera with super backlight

compensation power consumption standby 0W, working ≤ 2W

Power supply mode indoor extension power supply

Night vision 4 LED infrared night fill lights

Best night vision distanceWLED 3m

Camera angle 85-92 degrees

Operating temperature range - 20 - + 60 °C

material zinc alloy shell

Installation method surface mounted

Overall dimension length 250 * width 130 * thickness55mm

weight 0.85kg





Apartment video intercom system

Place of Origin:Guangdong, China
Brand Name:ABE/OEM/ODM
Model Number:ABE-LY, Black
Resolution:720P, 960P, 800*480
Network:TCP
Type:Video Door phone, interphone video
Indoor monitor:Monitoring/Unlock/Talk/Picture
Special Features:Built-in Camera, Waterproof / Weatherproof
Certificate:CE FCC ROHS
Waterproof:IP65
working temperature:-20 - + 60 ° C
Color:silver
Warranty:12 Months

Feature & Functions



3.5inch Panel



Infrared Night Vision



4 Pcs AAA Batteries



1080P



120° Wide Angle Lens



Ultra-Long Standby

Outdoor station

Function Description visual, intercom, unlock, rainproof , night vision
Camera 700 line CMOS color digital HD camera with super backlight
compensation power consumption standby 0W, working ≤ 2W
Power supply mode indoor extension power supply
Night vision
6 LED white fill lamps
Best night vision distanceWLED 3m
Camera angle 85-92 degrees
Operating temperature range - 20 - + 60 °C
material zinc alloy shell
Installation method surface mounted
Overall dimension length 380 * width 150 * thickness60mm
weight 2kg



audio door phone



智能楼宇对讲系统 CAT

8.8.8.8

1. 访客直接按楼层号码呼叫住户。
如：呼叫301室，则按301，三个按键。
2. 呼通后主机有提示音，如无人接听约
45秒后自动关机。
3. 按*号键可取消，按#号键复位。

1 2 3

4 5 6

7 8 9

* 0 #

RF CARD

Speaker grille

Audio

Feature & Functions



Wifi Transfer



Solar Panel



PIR Motion Detection



1080P




6PCS Lithium Battery



Pan355°/Tilt120°

Place of Origin:Guangdong, China
Brand Name:ABE/OEM/ODM
Model Number:2*7, 2*7 households
Network:2/3 wire
Type:Audio Door Phone
Indoor monitor:Unlock/Talk/
Special Features:Waterproof / Weatherproof
Certificate:CE FCC ROHS
Conversation duration:120 s
Waterproof:IP65
working temperature:-20 - + 60 ° C
System Capacity:14indoor units+1outdoor units
Warranty:12 Months
Product Name:Audio Door Phone



Indoor monitor2*7

Function introduction indoor unlock Intercom mode Hands-free dual communication
Conversation duration 120S Power supply 15V 1A
Power consumption 100mA Max Wiring mode 2 Wire Connection
Appearance dimension length 185 * width 75 mm Material ABS engineering plastics
Weight0.1KG

Outdoor station

Function Description intercom,Swipe card to unlock, rainproof Power consumption 100mA Max
Power supply Supplied from indoor unit Power supply mode indoor extension power supply
Best night vision distanceWLED 3m Waterproof level IP65
Operating temperature range - 40 - + 60 °C material zinc alloy shell
Installation method surface mounted Overall dimension length 126* width 53 * thickness 45mm
weight 2kg



Audio


Feature & Functions



4G Transfer



Night Vision



PIR Motion Detection



1080P



18650 lithium battery



Solar Panel

Place of Origin:Guangdong, China
Brand Name:ABE/OEM/ODM
Model Number:2*7, 2*7 households
Network:4-wire+wifi
Type:Audio Door Phone
Indoor monitor:Unlock/Talk/
Special Features:Waterproof / Weatherproof
Certificate:CE FCC ROHS
Conversation duration:120 s
Waterproof:IP65
working temperature:-20 - + 60 ° C
System Capacity:14indoor units+1outdoor units
Warranty:12 Months
Product Name:Audio Door Phone


Indoor monitor2*7

Function introduction indoor unlock Intercom mode Hands-free dual communication
Conversation duration 120S Power supply 15V 1A
Power consumption 100mA Max Wiring mode 2 Wire Connection
Appearance dimension length 185 * width 75 mm Material ABS engineering plastics
Weight0.1KG

Outdoor station

Function Description intercom,Swipe card to unlock, rainproof Power consumption100mA Max
Power supply Supplied from indoor unit Power supply mode indoor extension power supply
Best night vision distanceWLED 3m Waterproof level IP65
Operating temperature range - 40 - + 60 °C materialzinc alloy shell
Installation method surface mounted Overall dimension length 326* width 123 * thickness 13mm
weight 2kg





System description

1. It is applicable to the ground floor building, and the user capacity can reach 24 households (supporting 48).

2. The extension is interchangeable without coding.

3. The top cover of the extension enter the house without polarity.

4. Voice prompt function.





Audio


Feature & Functions



Wiring-Free



Solar Panel



PIR Motion Detection



1080P





18650 lithium battery



Night Vision

Place of Origin:Guangdong, China
Brand Name:ABE
Model Number:ABE-FKS
Resolution:Other
Network:Others
Type:Audio Door Phone, 2-way Audio
Product Name:Multi-apartment audio intercom system
Function:Audio intercom, unlock
Color:White, blue, silver
Connection:2/3 Wire Cable



Indoor monitor

Function introduction indoor unlock Intercom mode Hands-free dual communication
Conversation duration 120SPower supply 15V 1A
Power consumption 100mA MaxWiring mode 2 Wire Connection
Appearance dimension length 185 * width 75 mmMaterial ABS engineering plastics
Weight0.1KG

Outdoor station

Function Description intercom,Swipe card to unlock, rainproof Power consumption 100mA Max
Power supply Supplied from indoor unit Power supply mode Audio intercom system in building
Best night vision distanceNO Waterproof level IP65
Operating temperature range - 40 - + 60 °C material zinc alloy shell
Installation method surface mounted Overall dimension length 326* width 123 * thickness 13mm
weight 2kg



Tuya Smart Lock



Intelligent lock for face recognition


Feature & Functions



Mechanical Button



Face recognition



3~12 Digits Password



Mechanical Key



4*AA Battery



Acousto-Optic Indication

Model material size starting
mode typical static
current working current opening
face number opening
palm vein number opening
finger number opening
password number opening
card number camera type
recognition mode display
start time H10 aluminum
alloy L: 408mm * W: 80mm
* H: 31mm Human Touch Start
& Lt 50 microamps = 100 & LT;
= 100 & LT; = 100 & LT; =
5 & LT; = 100 infrared + Color
Camera GC03281: N3.5 inch
TFT touch-screen Liquid & LT; 1 second

Door Type:Wood door, Steel door, Stainless Steel door,
Aluminum door, Brass door
Place of Origin:Guangdong, China
Brand Name:ABE/ODM/OEM
Model Number:Tuya Smart Lock-001
Data Storage Options:CloudNetwork:wifi, wifi
Product name:Tuya WIFI Pro Door Lock
Door Type:Wood door
Data Storage Options:Cloud
Material:Aluminum alloy
Mortise:60/70mm adjustable single latch or 6050/5572
/4585/6085/7085 mortise
Power Supply::DC6V: 4pcs AA alkaline batteries
Door Thickness::35-55mm
Color::Black/Silvery
Unlock Way::Tuya app/Fingerprint/ IC card/ password/ key



Intelligent lock for face recognition

Feature & Functions




Mechanical Button



Face recognition



3~12 Digits Password



Mechanical Key



4*AA Battery



Acousto-Optic Indication

Model material size starting
mode typical static
current working current opening
face number opening
palm vein number opening
finger number opening
password number opening
card number camera type
recognition mode display
start time H10 aluminum
alloy L: 429mm * W: 69mm
* H: 31mm Human Touch Start
& Lt 50 microamps = 100 & LT;
= 100 & LT; = 100 & LT; =
5 & LT; = 100 infrared + Color
Camera GC03281: N3.5 inch
TFT touch-screen Liquid & LT; 1 second

Door Type:Wood door, Steel door, Stainless Steel door,
Aluminum door, Brass door
Place of Origin:Guangdong, China
Brand Name:ABE/ODM/OEM
Model Number:Tuya Smart Lock-001
Data Storage Options:CloudNetwork:wifi, wifi
Product name:Tuya WIFI Pro Door Lock
Door Type:Wood door
Data Storage Options:Cloud
Material:Aluminum alloy
Mortise:60/70mm adjustable single latch or 6050/5572
/4585/6085/7085 mortise
Power Supply::DC6V: 4pcs AA alkaline batteries
Door Thickness::35-55mm
Color::Black/Silvery
Unlock Way::Tuya app/Fingerprint/ IC card/ password/ key



Tuya Smart Lock

Feature & Functions



Product name smart tuya wifi pro lock

Material Aluminum Alloy, ABS, Arcylic

Available Color Balck/ Satin Nickel

Door Thickness 35-55mm

Communication Wi-Fi

Support OS IOS 7.0 or above, Android 4.4 or above

Battery Life 7000 times normal unlock(10-12 months)

Power Supply DC6V: 4pcs AA alkaline batteries

Static Current ≤50uA

Dynamic Current <200mA

Unlock Way Tuya app/ Fingerprint/ IC card/ password/ key

Unlock Time 1~1.5 seconds

Working Temperature -20~50 degress

Working Humidity10%~95% Factory Passcode

Factory master password:123456, after configuration, it will be invaild

Available Mortise Support single latch or 5050/60505572/4585/6085/7085 mortise

Virtual Password Available

User Capacity Card+password+Fingerprint: 300 groups, 9 groups administrators

Door Type:Glass door, Wood door, Steel door, Stainless

Steel door, Aluminum door, Brass door

Place of Origin:guangdong

Brand Name:ABE

Data Storage Options:Cloud

Network:wifi, wifi

Product name:Tuya WIFI Pro Door Lock

Door Type:Wood door

Data Storage Options:Cloud

Material:Aluminum alloy

Mortise:60/70mm adjustable single latch or 6050/5572/

4585/6085/7085 mortise

Power Supply:DC6V: 4pcs AA alkaline batteries

Door Thickness:35-55mm

Color: Black/Silvery

Unlock Way:Tuya app/Fingerprint/ IC card/ password/ key




Tuya Smart Lock

Feature & Functions



Door Type:Glass door, Wood door, Steel door, Stainless Steel door, Aluminum door, Brass door
Place of Origin:guangdong
Brand Name:ABE
Data Storage Options:Cloud
Network:wifi, wifi
Product name:Tuya WIFI Pro Door Lock
Door Type:Wood door
Data Storage Options:Cloud
Material:Aluminum alloy
Mortise:60/70mm adjustable single latch or 6050/5572/4585/6085/7085 mortise
Power Supply:DC6V: 4pcs AA alkaline batteries
Door Thickness:35-55mm
Color:Black/Silvery
Unlock Way:Tuya app/Fingerprint/ IC card/ password/ key

Product name smart tuya wifi pro lock
ic Available Color Balck/ Satin Nickel
Door Thickness 35-55mm Communication
Wi-Fi Support OS IOS 7.0 or above, Android 4.4 or above
Battery Life 7000 times normal unlock(10-12 months)
Power Supply DC6V: 4pcs AA alkaline batteries
Static Current ≤50uA
Dynamic Current <200mA
Unlock Way Tuya app/ Fingerprint/ IC card/ password/ key
Unlock Time 1~1.5 seconds
Working Temperature -20~50 degress
Working Humidity10%~95%
Factory Passcode
Factory master password:123456, after configuration, it will be invaild
Available Mortise Support single latch or 5050/60505572/4585/6085/7085 mortise
Virtual Password Available
User Capacity Card+password+Fingerprint: 300 groups, 9 groups administrators



Tuya Smart Lock

Feature & Functions



Door Type:Glass door, Wood door, Steel door, Stainless Steel door, Aluminum door, Brass door
Place of Origin:guangdong
Brand Name:ABE
Data Storage Options:Cloud
Network:wifi, wifi
Product name:Tuya WIFI Pro Door Lock
Material:Aluminum alloy
Mortise:60/70mm adjustable single latch or 6050/5572/4585/6085/7085 mortise
Power Supply:DC6V: 4pcs AA alkaline batteries
Door Thickness:35-55mm
Battery Life:7000 times normal unlock(10-12 months)
Unlock Way:Tuya app/Fingerprint/ IC card/ password/ key
User Capacity:Card+password+fingerprint:300 groups
Color:Black/Silvery

Product name Tuya smart lock, Tuya door lock, Smart door lock tuya

Material Aluminum Alloy, ABS, Arcylic

Available Color Balck/ Satin Nickel Door Thickness
35-55mm Communication

Wi-Fi Support OS

IOS 7.0 or above, Android 4.4 or above

Battery Life 7000 times normal unlock(10-12 months)

Power Supply DC6V: 4pcs AA alkaline batteries

Static Current ≤50uA

Dynamic Current

<200mA Unlock Way

Tuya app/ Fingerprint/ IC card/ password/ key

Unlock Time 1~1.5 seconds

Working Temperature -20~50 degress

Working Humidity10%~95% Factory Passcode

Factory master password:123456, after configuration, it will be invaild

Available Mortise Support 60# single latch or 6050/5572/4585/6085/7085 mortise

Virtual Password Available

User Capacity Card+password+Fingerprint: 300 groups, 9 groups administrators



Tuya Smart Lock

Feature & Functions



Door Type:Glass door, Wood door, Steel door, Stainless Steel door, Aluminum door, Brass door, Wood door, Aluminum door, Aluminum /wooden door
Place of Origin:Guang dong
Brand Name:abe
Model Number:abe smart lock
Data Storage Options:Cloud, Cloud
Network:wifi, wifi
Product name:Tuya WIFI Pro smart lock
Software:Tuya Smart APP
Finish treatment:Stainless Steel/ Black Nickel
Unlock way:App/code/card/fingerprint/key
Door Thickness:30mm-65mm
Material:304 stainless steel
Power supply:4 pcs alkline battery

Product name Tuya smart lock, Tuya door lock, Smart door lock tuya

Material Aluminum Alloy, ABS, Arcylic

Available Color Balck/ Satin Nickel Door Thickness
35-55mm Communication

Wi-Fi Support OS

IOS 7.0 or above, Android 4.4 or above

Battery Life 7000 times normal unlock(10-12 months)

Power Supply DC6V: 4pcs AA alkaline batteries

Static Current ≤50uA

Dynamic Current

<200mA Unlock Way

Tuya app/ Fingerprint/ IC card/ password/ key

Unlock Time 1~1.5 seconds

Working Temperature -20~50 degress


Working Humidity10%~95% Factory Passcode

Factory master password:123456, after configuration, it will be invaild

Available Mortise Support 60# single latch or 6050/5572/4585/6085/7085 mortise


Virtual Password Available

User Capacity Card+password+Fingerprint: 300 groups, 9 groups administrators



Doodle Smart Lock

Feature & Functions




Keypad



Fingerprint



Support APP



Mechanical Key



4*AA Battery



Wiring-Free

Door Type:Glass door, Wood door, Steel door, Stainless Steel door, Aluminum door, Brass door, Glass door, Wood door, Steel door,
Place of Origin:guangdong
Brand Name:ABE
Data Storage Options:Cloud
Network:wifi, bluetooth
Application door:Tuya BLE
Material:Alluminium alloy+Pure brass++SUS304
Warranty:One Year Guaranteed
Data Storage Options::Cloud
Power supply:CR123A non-rechargeable battery
Color:Black/Silvery
Suitable for::Any type of mechanical lock compatible with European profile cylinders
Certification:CE FCC ROHS ISO

Product name Tuya smart lock, Tuya door lock, Smart door lock tuya

Material Aluminum Alloy, ABS, Arcylic

Available Color Balck/ Satin Nickel Door Thickness

35-55mm Communication

Wi-Fi Support OS

IOS 7.0 or above, Android 4.4 or above

Battery Life 7000 times normal unlock(10-12 months)

Power Supply DC6V: 4pcs AA alkaline batteries

Static Current ≤50uA

Dynamic Current

<200mA Unlock Way

Tuya app/ Fingerprint/ IC card/ password/ key

Unlock Time 1~1.5 seconds

Working Temperature -20~50 degress

Working Humidity10%~95% Factory Passcode

Factory master password:123456, after configuration, it will be invaild

Available Mortise Support 60# single latch or 6050/5572/4585/6085/7085 mortise

Virtual Password Available

User Capacity Card+password+Fingerprint: 300 groups, 9 groups administrators



EASY REPLACEMENT AND INSTALLATION

No breaking the door or change the door body
Simply use a hex screwdriver to install in 10 minutes.



ORIGINAL



REPLACE


Access Control





Metal Touch Access Control

Feature & Functions




Type:USB Flash Drive, Biometric Time Recording
Biometric Measurement:Face
Place of Origin:China
Model Number:Waterproof access control machine
Identification:palm(optional),face,fingerprint,card,password
capacity:500face, 500palm,3000 fingerprint
Communication capacity:160000
camera:Dual color HD infrared cameras
Power supply:DC12V±20%
Product Name:face time attendance fingerprint time attendance and access control
Housing material:Znic alloy
Interface:Wiegand input and output
Product dimension:194*80*38mm
Warranty:1 Year

Identificationpalm(optional),face,fingerprint,card,password
capacity500face, 500palm,3000 fingerprint
Communication capacity160000
cameraDual color HD infrared cameras
Power SupplyDC12V±20%
Product nameface time attendance fingerprint time attendance and access control
Housing materialZnic alloy
InterfaceWiegand input and output
Product dimension194*80*38mm
Warranty1 Year




Metal Standalone Access Control

Feature & Functions



Place of Origin:Guangdong, China
Brand Name:ABE/OEM/ODM
Model Number:ABE-V7
Network:4-wire+wifi
Type:Access control
Product Name:access control system
User Capacity:1000 Users
Card Reading Distance:1~15cm
Proximity Reader Frequency:125KHz
Use:Door /lift
Special Features:Codes+rfid card
Size:170*70mm
Active Current:<60mA
Color:black
Waterproof Degree::IP65/IP68


NUMERIC KEYPADBACKLIT BUTTON
VERIFICATION MODEPASSWORD, ID CARD
SHELL MATERIALABS FLAME RETARDANT
PRODUCT SIZE
170MMX70MM
POWER
DC12W
COLOR
BLACK
POWER MODE
POWER CORD
WEIGHT
110G






Metal Touch Access Control

Feature & Functions



Place of Origin:Guangdong, China
Brand Name:ABE/OEM/ODM
Model Number:ABE-V7
Network:4-wire+wifi
Type:Access control
Product Name:access control system
User Capacity:1000 Users
Card Reading Distance:1~15cm
Proximity Reader Frequency:125KHz
Use:Door /lift
Special Features:Codes+rfid card
Size:170*70mm
Active Current:<60mA
Color:black
Waterproof Degree::IP65/IP68

NUMERIC KEYPADBACKLIT BUTTON
VERIFICATION MODEPASSWORD, ID CARD
SHELL MATERIALABS FLAME RETARDANT
PRODUCT SIZE
170MMX70MM
POWER
DC12W
COLOR
BLACK
POWER MODE
POWER CORD
WEIGHT
110G



Access Control.with RFID CardReade




Feature & Functions



Backlight Keyboard



Multiple Unlocking Methods



IP66 Waterproof



1000 Users



Metal Design

Place of Origin:Guangdong, China
Brand Name:ABE/OEM/ODM
Model Number:ABE-V7
Network:4-wire+wifi
Type:Access control
Product Name:access control system
User Capacity:1000 Users
Card Reading Distance:1~15cm
Proximity Reader Frequency:125KHz
Use:Door /lift
Special Features:Codes+rfid cardSize:170*70mm
Active Current:<60mA
Color:black
Waterproof Degree::IP65/IP68

NUMERIC KEYPADBACKLIT BUTTON
VERIFICATION MODEPASSWORD, ID CARD
SHELL MATERIALABS FLAME RETARDANT
PRODUCT SIZE
170MMX70MM
POWER
DC12W
COLOR
BLACK
POWER MODE
POWER CORD
WEIGHT
110G



Multi-function access control equipment

Feature & Functions



Can be used as a standalone keypad.
Provide 125KHz 10pcs RFID cards.
Maximum support 999 users.
Multiple access ways: password, ID Cards, password + ID Cards.
Support electric lock and magnetic lock.
Suitable for offices, factories, apartments, dormitories and shopping malls etc.
The expansion function is rich, you can choose the remote control unlocking, doorbell and so on.
Convenient to use: The RFID lock kit reacts so quickly that you can set up the time length to open the door.

Technical Specifications

Outdoor Part
Identificationpalm(optional),face,fingerprint,card, password
capacity500face, 500palm,3000 fingerprint
Communication capacity160000
cameraDual color HD infrared cameras
Power SupplyDC12V±20%
Product nameface time attendance fingerprint time attendance and access control
Housing materialZnic alloy
InterfaceWiegand input and output
Product dimension194*80*38mm
Warranty1 Year

Access Control Remote
Product name Control Reader Stainless Steel RFID Reader
access control system Capacity 2016 High security
Access Ways Cards, code, card+code
Connection Alarm System, doorbell, exit button
access control system Card ID card 125Khz access control system Current
100mA access control system Voltage
12VDC Size 86L*86W*18H mm

Electric Magnetic Lock Spec

Material : Steel
Input Voltage: DC12V
Power Rate: 5W
Dimension: 208*59*58mm
Weight: 1kg


Push Release Button Exit Switch Spec

Panel Material: Fireproof material
Suitable For Door: Hollow Door
Operating Temp: '10~+55
Operating Humidity: 0~95%
Dimensions: 86*86*31mm

All kinds of locks

Feature & Functions


100-260VAC


One-Stop Solution


Electric Strike Lock


Keyfobs


Access Control Keypad


Exit Button

Magnetic Lock

Material Zinc Alloy
Application Home/office/factory/School
Finish Surface Finished
Power 12V Holding Force
280KG/600lbs MOQ
1 Piece Warranty
2 Years Product Keywords
Magnetic Lock Suitable door type
Wooden/Glass/Metal

Specification

Product Name
Electric Motor Lock
Model Number
UM-DK100-S
Size
131.5*99.5*42.5mm
Working Current
DC12V 1.5A
Suitable for
Steel Door

Plug lock

product Name1291A current250mA/450mA
voltageDC12V Starting current 960mAtemperature
-10°C-55°C(14~131F)humidity 0%-95%(work)Adaptive door type
Wooden doors, glass doors, metal doors, fire doors
Door opening method
There are three levels of delay adjustment:
0 seconds, 3 seconds, and 6 seconds
Product Material
Aluminum alloy material
Lock cylinder strength
Thickened stainless steel
Lock tongue size
Diameter 16mm, extension length 16mm

